HEALTHY MINDS . STRONG COMMUNITIES

2022 Access to Care Survey Topline Data: Gender, Region, Urbanicity

June 2022

Abbreviated Survey Method (to include in release materials):

This survey was conducted online within the United States by The Harris Poll on behalf of **National Council For Mental Wellbeing** from April 26-28, 2022 among 2,053 U.S. adults ages 18 and older. The sampling precision of Harris online polls is measured by using a Bayesian credible interval. For this study, the sample data is accurate to within + 2.8 percentage points using a 95% confidence level.

Full Survey Method:

This survey was conducted online within the United States by The Harris Poll on behalf of **National Council For Mental Wellbeing** from April 26-28, 2022 among 2,053 U.S. adults ages 18 and older.

Results were weighted for age within gender, region, race/ethnicity, household income, education, and size of household where necessary to align them with their actual proportions in the population. Propensity score weighting was also used to adjust for respondents' propensity to be online.

Respondents are selected among those who have agreed to participate in our surveys. The sampling precision of Harris online polls is measured by using a Bayesian credible interval. The sample data is accurate to within + 2.8 percentage points using a 95% confidence level. This credible interval will be wider among subsets of the surveyed population of interest.

All sample surveys and polls, whether or not they use probability sampling, are subject to other multiple sources of error which are most often not possible to quantify or estimate, including, but not limited to coverage error, error associated with nonresponse, error associated with question wording and response options, and post-survey weighting and adjustments.

Region Definitions:

<u>Northeast</u>: Connecticut, Delaware, District of Columbia, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, Vermont, West Virginia

<u>Midwest</u>: Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, Ohio, South Dakota, Wisconsin

<u>South</u>: Alabama, Arkansas, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, Oklahoma, South Carolina, Tennessee, Texas, Virginia

<u>West</u>: Alaska, Arizona, California, Colorado, Hawaii, Idaho, Montana, Nevada, New Mexico, Oregon, Utah, Washington, Wyoming

Sample Sizes:

When determining which groups you can report out on for public release, the unweighted base size must be at least n=100 to be considered representative. Any group with an unweighted base size below n=100 should not be used for PR as it is not considered representative and should be interpreted as qualitative and directional in nature.

Stat Testing:

Comparisons between subgroups should be made only when there are statistically significant differences between those groups – statistically significant differences at the 95% confidence level are notated as capital letters underneath the percentages in the data tables. Each subgroup has a corresponding letter underneath it's label.

BASE: U.S. RESPONDENTS

Q1a How would you rate your overall mental wellbeing (i.e., the ability to handle life and its various stresses and challenges)?

		Gen	der	Region			
	Total	Male	Female	Northeast	South	Midwest	West
	А	В	С	S	т	U	v
Unweighted Base	2053	880	1143	421	851	396	385
Weighted Base	2053	964	1049	358	779	429	487
At Least Fair (Net)	90%	93%	88%	90%	90%	89%	92%
		С					
Excellent/Good (Sub-Net)	65%	73%	59%	67%	65%	61%	67%
		С					
Excellent	26%	33%	20%	28%	25%	27%	25%
		С					
Good	39%	40%	39%	39%	39%	34%	42%
Fair	26%	20%	29%	23%	26%	28%	25%
			В				
Very Poor/Poor (Net)	10%	7%	12%	10%	10%	11%	8%
			В				
Poor	6%	5%	8%	6%	7%	7%	5%
			В				
Very poor	3%	2%	4%	5%	3%	4%	3%

BASE: U.S. RESPONDENTS Q1a How would you rate your overall mental wellbeing (i.e., the ability to handle life and its various stresses and challenges)?

		Urbanicity			
Total	Urban	Suburban	Rural		
Α	В	C	D		
2053	680	883	490		
2053	638	982	433		
90%	90%	91%	89%		
65%	67%	64%	65%		
26%	31%	23%	26%		
	С				
39%	36%	41%	38%		
26%	23%	27%	24%		
10%	10%	9%	11%		
6%	6%	6%	7%		
3%	4%	3%	4%		
	A 2053 2055 205	A B 2053 680 2053 638 2053 638 2053 638 2053 638 2053 638 2053 638 2053 638 2053 638 90% 90% 90% 90% 90% 90% 90% 90% 90% 90% 90% 90% 90% 90% 90% 90% 90% 90% 90% 90% 90% 90% 26% 31% C 39% 36% 6% 10% 10% 10% 10% 6% 6%	Total Urban Suburban A B C A B C A B C A B C A B C A B C A B C A B C A B C A B C A B C A B C A B A A B A A B A B C A B A A B A B B A B B A B B A B B B C B A B B B C B B A B B		

BASE: U.S. RESPONDENTSQ1Which of the following best describes your experience with each of the following types of health care
over the past 12 months?

		Ger	nder		Regi	on	
	Total	Male	Female	Northeast	South	Midwest	West
Summary Of Needed Listed Care	Α	В	С	S	т	U	V
Unweighted Base	2053	880	1143	421	851	396	385
Weighted Base	2053	964	1049	358	779	429	487
Primary care (e.g., sick visit, injury, health issue, etc.)	73%	72%	74%	76%	71%	72%	75%
Dental care (e.g., cleaning, filling,							
cap, etc.)	76%	73%	79% B	76%	71%	79% T	80% T
Eye care (e.g., eye exam, vision screening, etc.)	70%	68%	72%	70%	67%	74%	72%
Mental health care (i.e., counselling, therapy, providing medication or offering support services for depression, anxiety, bipolar disorder or other mental health conditions)	42%	41%	42%	45%	39%	42%	44%
Substance use care (i.e., counselling, therapy, providing medication or offering support services for the misuse of alcohol and drugs)	24%	30%	19%	26%	20%	20%	33%
	27/0	C	13/0	20/0	2070	2070	TU

BASE: U.S. RESPONDENTSQ1Which of the following best describes your experience with each of the following types of health care
over the past 12 months?

			Urbanicity			
Summary Of Needed Listed Care	Total	Urban	Suburban	Rural		
Summary Of Needed Listed Care	Α	В	С	D		
Unweighted Base	2053	680	883	490		
Weighted Base	2053	638	982	433		
Primary care (e.g., sick visit, injury, health issue,	700/	770/	740/	74.0/		
etc.)	73%	77%	71%	71%		
	7.0/	C	7.04	720/		
Dental care (e.g., cleaning, filling, cap, etc.)	76%	79%	76%	73%		
Eye care (e.g., eye exam, vision screening, etc.)	70%	71%	69%	71%		
Mental health care (i.e., counselling, therapy,						
providing medication or offering support services for depression, anxiety, bipolar disorder or other						
mental health conditions)	42%	55%	37%	33%		
,		CD				
Substance use care (i.e., counselling, therapy,						
providing medication or offering support services	2.401	4004	4.00%	4.604		
for the misuse of alcohol and drugs)	24%	40%	18%	16%		
		CD				

BASE: NEEDED LISTED CARE (variable bases)Q1Which of the following best describes your experience with each of the following types of health care
over the past 12 months?

		Gen	der	Region			
Drimory Coro	Total	Male	Female	Northeast	South	Midwest	West
Primary Care	Α	В	С	S	Т	U	V
Unweighted Base	1540	649	870	320	637	297	286
Weighted Base	1498	691	778	271	554	308	365
I needed this type of care and received it	79%	79%	80%	75%	78%	83%	79%
I needed this type of care but did not							
receive it	21%	21%	20%	25%	22%	17%	21%

		Gen	der	Region			
Mental Health Care	Total	Male	Female	Northeast	South	Midwest	West
	Α	В	С	S	Т	U	v
Unweighted Base	990	403	566	206	397	193	194
Weighted Base	863	396	443	160	307	180	216
I needed this type of care and received it	57%	62%	54%	52%	57%	60%	60%
I needed this type of care but did not							
receive it	43%	38%	46%	48%	43%	40%	40%

		Gen	der	Region			
Substance Use Care	Total	Male	Female	Northeast	South	Midwest	West
Substance Ose Care	Α	В	С	S	Т	U	V
Unweighted Base	554	286	259	121	203	96	134
Weighted Base	497	287	199	93*	158	86*	161*
I needed this type of care and received it	57%	59%	53%	54%	54%	51%	64%
I needed this type of care but did not							
receive it	43%	41%	47%	46%	46%	49%	36%

		Gen	der	Region			
Dental Care	Total	Male	Female	Northeast	South	Midwest	West
Dental Care	Α	В	С	S	Т	U	V
Unweighted Base	1549	632	895	319	609	309	312
Weighted Base	1561	702	832	274	555	341	392
I needed this type of care and received it	67%	68%	67%	68%	64%	68%	71%
I needed this type of care but did not							
receive it	33%	32%	33%	32%	36%	32%	29%

		Gen	der	Region			
Euro Corro	Total	Male	Female	Northeast	South	Midwest	West
Eye Care	Α	В	С	S	Т	U	V
Unweighted Base	1443	601	824	295	575	292	281
Weighted Base	1435	653	758	249	521	315	350
I needed this type of care and received it	71%	70%	72%	69%	70%	74%	71%
I needed this type of care but did not							
receive it	29%	30%	28%	31%	30%	26%	29%

BASE: NEEDED LISTED CARE (variable bases)Q1Which of the following best describes your experience with each of the following types of health care
over the past 12 months?

			Urbanicity	
Primary Care	Total	Urban	Suburban	Rural
T thinking cure	Α	В	С	D
Unweighted Base	1540	532	650	358
Weighted Base	1498	493	696	310
I needed this type of care and received it	79%	77%	77%	84%
I needed this type of care but did not receive it	21%	23%	23%	16%

			Urbanicity	
Mental Health Care	Total	Urban	Suburban	Rural
	Α	В	С	D
Unweighted Base	990	390	385	215
Weighted Base	863	353	366	144
I needed this type of care and received it	57%	67%	51%	51%
		CD		
I needed this type of care but did not receive it	43%	33%	49%	49%
			В	В

			Urbanicity	
Substance Use Care	Total	Urban Suburban		Rural
Substance Ose care	А	В	С	D
Unweighted Base	554	276	184	94
Weighted Base	497	252	178	67*
I needed this type of care and received it	57%	67%	47%	48%
		CD		
I needed this type of care but did not receive it	43%	33%	53%	52%
			В	В

			Urbanicity	
Dental Care	Total	Urban	Suburban	Rural
Dental Care	А	В	С	D
Unweighted Base	1549	527	670	352
Weighted Base	1561	502	743	316
I needed this type of care and received it	67%	65%	68%	68%
I needed this type of care but did not receive it	33%	35%	32%	32%

		Urbanicity				
Eye Care	Total	Urban	Suburban	Rural		
Lyc cure	Α	В	С	D		
Unweighted Base	1443	488	609	346		
Weighted Base	1435	456	673	307		
I needed this type of care and received it	71%	69%	73%	71%		
I needed this type of care but did not receive it	29%	31%	27%	29%		

BASE: NEEDED MENTAL HEALTH CARE IN P12M BUT DID NOT RECEIVE ITQ2Which of the following are reasons why you did not get the mental health care you needed in the past12 months? Please select all that apply.

		Gei	nder		Regio	on	
	Total	Male	Female	Northeast	South	Midwest	West
	А	В	С	S	т	U	V
Unweighted Base	439	162	263	88	183	89	79
Weighted Base	367	152*	205	00 77*	185	73*	86*
	307	152	203	//	151	75	00
Provider Related Issues (Net)	60%	66%	56%	67%	50%	63%	68%
I couldn't find a provider located conveniently (e.g., nearby, close to public transit)	28%	30%	26%	27%	19%	27%	42% T
I couldn't find a provider that offered visit format I feel comfortable with (e.g., in-person visits, telehealth/online visits)	25%	31%	20%	31%	20%	26%	28%
I didn't know how to find a provider, in general	19%	17%	21%	10%	20%	20%	26%
I couldn't find a provider who was accepting new patients at all	19%	22%	17%	23%	15%	22%	17%
I couldn't find a provider that was a good cultural fit (i.e., the same race, ethnicity, sexual orientation, socioeconomic status as me)	13%	12%	15%	18%	10%	18%	10%
Insurance Related Issues (Net)	43%	49%	38%	45%	36%	52%	42%
My insurance required me to pay for the care in full and then submit a claim for reimbursement	19%	25%	14%	18%	18%	22%	17%
It wasn't worth the hassle of finding an in-network provider and setting up an appointment	16%	21%	12%	16%	14%	13%	21%
Providers that accepted my health insurance were not taking new patients	14%	15%	14%	20%	14%	12%	10%
I could not find a provider that accepted my health insurance	12%	14%	11%	10%	10%	12%	17%

		Gender Region			n		
Table Continued	Total	Male	Female	Northeast	South	Midwest	West
	Α	В	С	S	Т	U	v
Unweighted Base	439	162	263	88	183	89	79
Weighted Base	367	152*	205	77*	131	73*	86*
Cost (Net)	37%	38%	38%	33%	40%	36%	38%
I had to pay a lot of money out-of- pocket even with insurance	21%	21%	22%	16%	20%	27%	24%
I didn't have insurance and it cost too much	20%	19%	20%	20%	26%	13%	15%
Ease Of Access And Availability (Net)	31%	37%	27%	22%	28%	35%	41%
I wasn't able to get an appointment immediately when I needed care (i.e., had to wait several weeks)	21%	22%	21%	15%	17%	28%	28%
I wasn't able to get an appointment at a time that was convenient for me (e.g., evenings, weekends)	19%	25%	16%	13%	19%	21%	24%
I didn't think it would help me	19%	16%	20%	25%	19%	22%	10%
I was worried what other people would think if they found out	16%	16%	16%	30% TUV	15%	10%	10%
Other	7%	5%	8%	8%	9%	5%	3%

BASE: NEEDED MENTAL HEALTH CARE IN P12M BUT DID NOT RECEIVE ITQ2Which of the following are reasons why you did not get the mental health care you needed in the past12 months? Please select all that apply.

			Urbanicity	1
	Total	Urban	Suburban	Rural
	Α	В	С	D
Unweighted Base	439	143	191	105
Weighted Base	367	118*	179*	70*
Provider Related Issues (Net)	60%	65%	57%	61%
I couldn't find a provider located conveniently				
(e.g., nearby, close to public transit)	28%	31%	24%	30%
I couldn't find a provider that offered visit				
format I feel comfortable with (e.g., in-person				
visits, telehealth/online visits)	25%	29%	24%	22%
I didn't know how to find a provider, in				
general	19%	20%	19%	19%
Leaved at tind a provider who was accorting				
I couldn't find a provider who was accepting new patients at all	19%	21%	19%	12%
I couldn't find a provider that was a good				
cultural fit (i.e., the same race, ethnicity, sexual				
orientation, socioeconomic status as me)	13%	15%	13%	9%
	420/	400/	44.0/	200/
Insurance Related Issues (Net)	43%	48%	41%	38%
My insurance required me to pay for the care				
in full and then submit a claim for				
reimbursement	19%	26%	18%	8%
		D		
It wasn't worth the hassle of finding an in-				
network provider and setting up an appointment	16%	18%	17%	11%
appontment	10/0	10/0	17/0	11/0
Providers that accepted my health insurance				
were not taking new patients	14%	18%	13%	11%
I could not find a provider that accepted my	1.5-1		4454	
health insurance	12%	11%	11%	16%

			Urbanicity	
Table Continued	Total	Urban	Suburban	Rural
	Α	В	С	D
Unweighted Base	439	143	191	105
Weighted Base	367	118*	179*	70*
Cost (Net)	37%	42%	36%	32%
I had to pay a lot of money out-of-pocket even with insurance	21%	32%	19%	9%
I didn't have insurance and it cost too much	20%	CD 17%	20%	23%
Ease Of Access And Availability (Net)	31%	32%	31%	29%
I wasn't able to get an appointment immediately when I needed care (i.e., had to wait several weeks)	21%	17%	23%	23%
I wasn't able to get an appointment at a time that was convenient for me (e.g., evenings, weekends)	19%	21%	20%	13%
I didn't think it would help me	19%	14%	22%	17%
I was worried what other people would think if they found out	16%	16%	17%	15%
Other	7%	5%	8%	4%

BASE: NEEDED MENTAL HEALTH CARE IN P12M BUT DID NOT RECEIVE ITQ3What happened as a result of you not being able to get the mental health care you needed in the past12 months? Please select all that apply.

		Gender			Regio	n	
	Total	Male	Female	Northeast	South	Midwest	West
	А	В	С	S	т	U	V
Unweighted Base	439	162	263	88	183	89	79
Weighted Base	367	152*	205	77*	131	73*	86*
Personal Relationship Issues (Net)	50%	46%	54%	42%	51%	59%	50%
Had relationship problems	35%	25%	42%	27%	36%	44%	33%
			В				
Lost contact with family/friends	34%	31%	37%	23%	34%	45%	36%
						S	
Job Issues (Net)	45%	48%	42%	52%	35%	52%	48%
						Т	
Had trouble at work	25%	24%	25%	24%	21%	27%	32%
Had to take time off of work	20%	26%	17%	18%	19%	20%	25%
Lost my job	16%	19%	14%	16%	11%	20%	19%
My mental wellbeing declined	44%	31%	54%	55%	36%	58%	33%
			В	TV		TV	
Avoided social/recreational activities	41%	36%	45%	43%	40%	47%	36%
Increased alcohol and other drug use	22%	25%	19%	14%	20%	35%	21%
						ST	
Performed poorly in school/Dropped out	10%	13%	6%	13%	7%	6%	14%
Other	7%	8%	7%	10%	5%	9%	6%
Nothing	10%	14%	7%	5%	13%	6%	14%

BASE: NEEDED MENTAL HEALTH CARE IN P12M BUT DID NOT RECEIVE ITQ3What happened as a result of you not being able to get the mental health care you needed in the past12 months? Please select all that apply.

	Urbanicity				
Total	Urban	Suburban	Rural		
А	В	С	D		
439	143	191	105		
367	118*	179*	70*		
50%	55%	44%	59%		
35%	37%	30%	42%		
34%	36%	31%	39%		
45%	46%	48%	34%		
25%	25%	26%	23%		
20%	18%	25%	12%		
16%	23%	14%	10%		
	D				
44%	36%	49%	44%		
41%	43%	41%	39%		
22%	22%	21%	22%		
10%	14%	8%	6%		
7%	7%	5%	12%		
10%	11%	11%	8%		
	A 439 367 50% 35% 35% 34% 45% 25% 20% 20% 16% 44% 41% 41% 22% 10% 7%	A B 439 143 367 118* 50% 55% 50% 55% 35% 37% 34% 36% 34% 36% 25% 25% 25% 25% 20% 18% 16% 23% D 44% 36% 0 110% 14% 10% 14% 7% 7%	Total Urban Suburban A B C 439 143 191 367 118* 179* 50% 55% 44% 50% 55% 44% 35% 37% 30% 34% 36% 31% 45% 46% 48% 20% 18% 25% 20% 18% 25% 16% 23% 14% 41% 43% 41% 10% 14% 8% 7% 7% 5%		

BASE: RECEIVED MENTAL HEALTH CARE IN P12MQ4Over the past 12 months, which of the following difficulties did you face when receiving mental health
care? Please select all that apply.

		Ger	nder		Regio	on	
	Total	Male	Female	Northeast	South	Midwest	West
	Α	В	С	S	Т	U	V
Unweighted Base	551	241	303	118	214	104	115
Weighted Base	496	244	238	84*	176	107*	130*
Experienced Difficulty When Getting Care							
(Net)	67%	74%	58%	73%	66%	59%	72%
		С					
Time/Location Related (Sub-Net)	52%	59%	42%	54%	50%	43%	61%
		С					U
Appointment times that were available							
were not convenient for me	26%	30%	23%	21%	26%	23%	32%
It took too long to actually see a	220/	260/	4.50/	220/	220/	4.50/	270/
provider (i.e., had to wait)	22%	26%	16%	22%	22%	16%	27%
The provider did not have a convenient		С					
location (e.g., nearby, close to public							
transit)	21%	27%	14%	18%	18%	21%	28%
	21/0	C	1470	10/0	10/0	21/0	20/0
I couldn't find a provider that offered		v					
telehealth/online appointments	17%	17%	14%	23%	18%	7%	18%
				U	U		U
Provider Related (Sub-Net)	40%	49%	30%	51%	37%	28%	47%
		С		U			U
I had to reach out to several providers							
before finding one that was accepting							
new patients	23%	25%	20%	28%	24%	10%	28%
				U	U		U
Provider(s) I reached out to did not get							
back to me	18%	22%	14%	25%	13%	13%	23%
		С		Т			
I couldn't find a provider that was a							
good cultural fit (i.e., the same race,							
ethnicity, sexual orientation, socioeconomic status as me)	17%	26%	9%	18%	17%	15%	1.0%
socioeconomic status as mej	1/%	20%	5%	10%	11%	13%	19%
		L					

		Gei	Gender Region			gion	
	Total	Male	Female	Northeast	South	Midwest	West
Table Continued	Α	В	C	S	Т	U	V
Unweighted Base	551	241	303	118	214	104	115
Weighted Base	496	244	238	84*	176	107*	130*
Insurance Related (Sub-Net)	35%	38%	30%	36%	36%	29%	37%
My insurance required me to pay for the care in full and then submit a claim for reimbursement	17%	21%	11%	19%	17%	12%	18%
I struggled to find a provider that		C					
accepted my health insurance	17%	17%	16%	15%	18%	13%	18%
I could not find a provider that accepted my health insurance (i.e.,							
had to pay out-of-pocket)	16%	17%	16%	17%	16%	15%	18%
Other	6%	4%	8%	3%	8%	8%	4%
None - I did not experience any							
difficulties when getting that care	33%	26%	42% B	27%	34%	41%	28%

BASE: RECEIVED MENTAL HEALTH CARE IN P12MQ4Over the past 12 months, which of the following difficulties did you face when receiving mental health
care? Please select all that apply.

	Total	Urban	Suburban	Rural
	А	В	С	D
Unweighted Base	551	247	194	110
Weighted Base	496	236	187	74*
Experienced Difficulty When Getting Care (Net)	67%	72%	65%	56%
		D		
Time/Location Related (Sub-Net)	52%	57%	51%	36%
		D	D	
Appointment times that were available were not convenient for me	26%	28%	24%	25%
It took too long to actually see a provider (i.e., had to wait)	22%	23%	23%	16%
The provider did not have a convenient location (e.g., nearby, close to public transit)	21%	25%	18%	18%
I couldn't find a provider that offered telehealth/online				
appointments	17%	19%	16%	10%
Provider Related (Sub-Net)	40%	47%	36%	30%
	4070		5070	5070
I had to reach out to several providers before finding one		_		
that was accepting new patients	23%	27%	20%	18%
Provider(s) I reached out to did not get back to me	18%	20%	16%	15%
I couldn't find a provider that was a good cultural fit (i.e.,				
the same race, ethnicity, sexual orientation, socioeconomic				
status as me)	17%	20%	17%	10%
Insurance Related (Sub-Net)	35%	41%	29%	28%
		С		
My insurance required me to pay for the care in full and then submit a claim for reimbursement	17%	24%	10%	9%
		CD		2,3
I struggled to find a provider that accepted my health insurance	17%	17%	15%	20%

			Urbanicity			
	Total	Urban	Suburban	Rural		
	Α	В	С	D		
Table continued						
Unweighted Base	551	247	194	110		
Weighted Base	496	236	187	74*		
I could not find a provider that accepted my health						
insurance (i.e., had to pay out-of-pocket)	16%	21%	13%	10%		
Other	6%	5%	6%	9%		
None - I did not experience any difficulties when getting						
that care	33%	28%	35%	44%		
				В		

BASE: RECEIVED MENTAL HEALTH CARE IN P12MQ5Which of the following describe how you paid for the mental health care you received in the past 12months? Please select all that apply.

		Ge	nder		Regio	on	
	Total	Male	Female	Northeast	South	Midwest	West
	Α	В	С	S	Т	U	v
Unweighted Base	551	241	303	118	214	104	115
Weighted Base	496	244	238	84*	176	107*	130*
My insurance covered in full	46%	44%	51%	52%	36%	57%	48%
· · · ·				Т		Т	
I paid a copay and my insurance							
covered the rest	36%	41%	31%	28%	39%	28%	43%
		С					
I paid a percentage and the insurance							
company paid a percentage (i.e.,							
coinsurance)	24%	31%	18%	26%	24%	14%	32%
		С					U
I had to pay the full amount out-of-							
pocket (i.e., insurance paid nothing or							
didn't have any insurance)	23%	30%	17%	25%	18%	18%	34%
		С					TU
Other	4%	4%	2%	2%	7%	2%	3%

BASE: RECEIVED MENTAL HEALTH CARE IN P12MQ5Which of the following describe how you paid for the mental health care you received in the past 12
months? Please select all that apply.

			Urbanicity	
	Total	Urban	Suburban	Rural
	Α	В	С	D
Unweighted Base	551	247	194	110
Weighted Base	496	236	187	74*
My insurance covered in full	46%	53%	40%	38%
		CD		
I paid a copay and my insurance covered the				
rest	36%	32%	39%	40%
I paid a percentage and the insurance company paid a percentage (i.e.,				
company paid a percentage (i.e.,	24%	35%	17%	10%
	2470	CD	1770	10/0
I had to pay the full amount out-of-pocket				
(i.e., insurance paid nothing or didn't have				
any insurance)	23%	34%	13%	13%
		CD		
Other	4%	1%	6%	6%
			В	

BASE: NEEDED SUBSTANCE USE CARE IN P12M BUT DID NOT RECEIVE ITQ6Which of the following are reasons why you did not get the substance use care you needed in the past12 months? Please select all that apply.

		Ger	nder		Regio	n	
	Total	Male	Female	Northeast	South	Midwest	West
	А	В	С	S	Т	U	v
Unweighted Base	250	121	124	55	99	52	44
Weighted Base	214	118*	94*	43**	73*	42*	57**
Provider Related Issues (Net)	60%	66%	51%	67%	51%	51%	72%
I couldn't find a provider that offered visit format I feel comfortable with (e.g., in-person visits, telehealth/online visits)	31%	37%	22%	28%	33%	23%	36%
I couldn't find a provider located conveniently (e.g., nearby, close to public transit)	22%	30% C	13%	28%	12%	19%	35%
I couldn't find a provider that was a good cultural fit (i.e., the same race, ethnicity, sexual orientation, socioeconomic status as me)	17%	21%	12%	22%	9%	20%	22%
I didn't know how to find a provider, in general	15%	13%	18%	13%	13%	21%	16%
I couldn't find a provider who was accepting new patients at all	15%	18%	9%	18%	14%	18%	12%
Insurance Related Issues (Net)	52%	53%	49%	63%	49%	50%	48%
It wasn't worth the hassle of finding an in-network provider and setting up an appointment	25%	23%	28%	24%	24%	30%	24%
My insurance required me to pay for the care in full and then submit a claim for reimbursement	21%	21%	22%	38%	18%	20%	13%
Providers that accepted my health insurance were not taking new patients	15%	15%	15%	20%	13%	21%	10%
I could not find a provider that accepted my health insurance	13%	13%	12%	13%	11%	14%	14%

	Ge	nder		Regi	Region				
Total	Male	Female	Northeast	South	Midwest	West			
Α	В	С	S	т	U	V			
250	121	124	55	99	52	44			
214	118*	94*	43**	73*	42*	57**			
38%	42%	32%	39%	38%	29%	43%			
28%	32%	23%	21%	30%	25%	34%			
19%	22%	14%	32%	16%	9%	23%			
31%	30%	32%	23%	36%	26%	33%			
20%	17%	24%	17%	16%	15%	29%			
15%	20%	9%	6%	23%	15%	12%			
21%	25%	17%	29%	21%	22%	15%			
15%	10%	21%	16%	20%	15%	8%			
7%	4%	9%	4%	9%	8%	5%			
	A 250 214 38% 28% 28% 19% 31% 20% 15% 21%	Total Male A B 250 121 214 118* 38% 42% 38% 32% 19% 22% 31% 30% 15% 20% 15% 10% 15% 10%	A B C 250 121 124 214 118* 94* 214 118* 94* 38% 42% 32% 28% 32% 23% 19% 22% 14% 19% 22% 14% 110% 22% 14% 110% 22% 14% 110% 22% 14% 110% 22% 14% 110% 22% 14% 115% 20% 17% 115% 20% 17% 15% 10% 21%	Total Male Female Northeast A B C S 250 121 124 55 214 118* 94* 43** 38% 42% 32% 39% 38% 42% 32% 39% 28% 32% 23% 21% 19% 22% 14% 32% 19% 22% 14% 32% 19% 22% 14% 32% 19% 22% 14% 32% 119% 22% 14% 32% 119% 22% 14% 32% 119% 22% 14% 32% 119% 20% 9% 6% 115% 20% 9% 6% 115% 10% 21% 16%	Total Male Female Northeast South A B C S T 250 121 124 55 99 214 118* 94* 43** 73* 38% 42% 32% 39% 38% 38% 42% 32% 39% 38% 28% 32% 23% 21% 30% 19% 22% 14% 32% 16% 19% 22% 14% 32% 36% 19% 22% 14% 32% 36% 19% 22% 14% 32% 36% 19% 22% 14% 32% 16% 119% 20% 17% 26% 23% 15% 20% 9% 6% 23% 15% 10% 21% 16% 20%	Total Male Female Northeast South Midwest A B C S T U 250 121 124 55 99 52 214 118* 94* 43** 73* 42* 38% 42% 32% 39% 38% 29% 38% 42% 32% 39% 38% 29% 28% 32% 23% 21% 30% 25% 19% 22% 14% 32% 16% 9% 19% 22% 14% 32% 16% 9% 19% 22% 14% 32% 16% 9% 19% 22% 14% 32% 16% 9% 19% 22% 14% 32% 16% 9% 19% 22% 14% 32% 16% 26% 10% 20% 9% 6% 23% 15%			

BASE: NEEDED SUBSTANCE USE CARE IN P12M BUT DID NOT RECEIVE ITQ6Which of the following are reasons why you did not get the substance use care you needed in the past12 months? Please select all that apply.

			Urbanicity	
	Total	Urban	Suburban	Rural
	Α	В	С	D
Unweighted Base	250	102	101	47
Weighted Base	214	84*	95*	35*
Provider Related Issues (Net)	60%	68%	57%	49%
I couldn't find a provider that offered visit format I feel comfortable with (e.g., in-person visits, telehealth/online visits)	31%	35%	31%	21%
I couldn't find a provider located conveniently (e.g., nearby, close to public transit)	22%	23%	27%	10%
I couldn't find a provider that was a good cultural fit (i.e., the same race, ethnicity, sexual orientation, socioeconomic status as me)	17%	15%	20%	15%
I didn't know how to find a provider, in general	15%	15%	15%	15%
I couldn't find a provider who was accepting new patients at all	15%	22%	9%	14%
Insurance Related Issues (Net)	52%	54%	51%	48%
It wasn't worth the hassle of finding an in-network provider and setting up an appointment	25%	27%	24%	23%
My insurance required me to pay for the care in full and then submit a claim for reimbursement	21%	21%	22%	18%
Providers that accepted my health insurance were not taking new patients	15%	14%	20%	5%
I could not find a provider that accepted my health insurance	13%	9%	17%	11%

			Urbanicity	
Table continued	Total	Urban	Suburban	Rural
	А	В	С	D
Unweighted Base	250	102	101	47
Weighted Base	214	84*	95*	35*
Ease Of Access And Availability (Net)	38%	39%	42%	25%
I wasn't able to get an appointment immediately when I needed care (i.e., had to wait several weeks)	28%	26%	32%	23%
I wasn't able to get an appointment at a time that was convenient for me (e.g., evenings, weekends)	19%	19%	26%	2%
		D	D	
Cost (Net)	31%	32%	28%	35%
I had to pay a lot of money out-of-pocket even with insurance	20%	21%	18%	22%
I didn't have insurance and it cost too much	15%	17%	13%	16%
l didn't think it would help me	21%	19%	28%	12%
I was worried what other people would think if they found out	15%	15%	13%	19%
Other	7%	8%	5%	10%

BASE: NEEDED SUBSTANCE USE CARE IN P12M BUT DID NOT RECEIVE ITQ7What happened as a result of you not being able to get the substance use care you needed in the past12 months? Please select all that apply.

		G	ender		Reg	ion	
	Total	Male	Female	Northeast	South	Midwest	West
	Α	В	С	S	т	U	V
Unweighted Base	250	121	124	55	99	52	44
Weighted Base	230	118*	94*	43**	73*	42*	57**
Job Issues (Net)	49%	49%	49%	56%	47%	42%	53%
Had to take time off of work	26%	26%	25%	25%	25%	27%	26%
Had trouble at work	25%	24%	26%	22%	22%	15%	36%
Lost my job	15%	13%	18%	25%	19%	12%	6%
Personal Relationship Issues (Net)	43%	45%	41%	39%	46%	52%	37%
Had relationship problems	30%	29%	31%	19%	29%	37%	34%
Lost contact with family/friends	24%	26%	22%	22%	30%	32%	12%
My mental wellbeing declined	37%	38%	35%	55%	33%	32%	31%
Increased alcohol and other drug use	29%	36%	19%	15%	26%	27%	43%
Avoided social/recreational activities	25%	C 22%	29%	29%	25%	36%	15%
	2370	2270	2370	2370	2370	3070	1370
Performed poorly in school/Dropped out	13%	12%	15%	18%	19%	7%	7%
Other	5%	3%	7%	13%	3%	6%	0
Nothing	13%	12%	15%	8%	13%	23%	11%

BASE: NEEDED SUBSTANCE USE CARE IN P12M BUT DID NOT RECEIVE ITQ7What happened as a result of you not being able to get the substance use care you needed in the past12 months? Please select all that apply.

			Urbanicity	
	Total	Urban	Suburban	Rural
	Α	В	С	D
Unweighted Dase	250	102	101	47
Unweighted Base Weighted Base	250	84*	95*	35*
Weighted base	214	5		33
Job Issues (Net)	49%	55%	50%	34%
Had to take time off of work	26%	32%	25%	12%
		D		
Had trouble at work	25%	33%	19%	20%
Lost my job	15%	17%	15%	13%
Personal Relationship Issues (Net)	43%	41%	44%	48%
Had relationship problems	30%	29%	30%	34%
Lost contact with family/friends	24%	19%	26%	29%
My mental wellbeing declined	37%	35%	34%	47%
Increased alcohol and other drug use	29%	35%	24%	27%
Avoided social/recreational activities	25%	25%	27%	22%
Performed poorly in school/Dropped out	13%	15%	14%	9%
Other	5%	5%	5%	3%
Nothing	13%	12%	14%	15%

BASE: RECEIVED SUBSTANCE USE CARE IN P12MQ8Over the past 12 months, which of the following difficulties did you face when receiving substance use
care? Please select all that apply.

	Gender			Regio	on		
	Total	Male	Female	Northeast	South	Midwest	West
	Α	В	С	S	Т	U	V
Unweighted Base	304	165	135	66	104	44	90
Weighted Base	283	168	105*	50*	85*	44**	103*
Experienced Difficulty When Getting							
Care (Net)	81%	87%	69%	86%	85%	74%	78%
		С					
Time/Location Related (Sub-Net)	61%	72%	48%	72%	61%	52%	58%
		С					
Appointment times that were							
available were not convenient for me	34%	43%	23%	40%	33%	25%	37%
		С					
The provider did not have a							
convenient location (e.g., nearby, close							
to public transit)	27%	33%	21%	24%	27%	27%	29%
It took too long to actually see a							/
provider (i.e., had to wait)	26%	31%	19%	25%	24%	23%	30%
I couldn't find a provider that offered	4.00/	200/	1.00/	220/	100/	00/	200/
telehealth/online appointments	18%	20%	16%	22%	19%	8%	20%
Provider Related (Sub-Net)	53%	57%	42%	57%	50%	45%	56%
		C		0770			00/0
I had to reach out to several providers							
before finding one that was accepting							
new patients	26%	28%	20%	31%	26%	19%	26%
I couldn't find a provider that was a							
good cultural fit (i.e., the same race,							
ethnicity, sexual orientation,							
socioeconomic status as me)	24%	27%	15%	20%	24%	11%	32%
Provider(s) I reached out to did not							
get back to me	21%	23%	19%	24%	20%	18%	22%

	Gender				Regi	on	
	Total	Male	Female	Northeast	South	Midwest	West
Table Continued	Α	В	С	S	Т	U	V
Unweighted Base	304	165	135	66	104	44	90
Weighted Base	283	168	105*	50*	85*	44**	103*
Insurance Related (Sub-Net)	48%	52%	41%	56%	51%	41%	46%
My insurance required me to pay for the care in full and then submit a claim for reimbursement	25%	25%	22%	25%	28%	32%	20%
I struggled to find a provider that accepted my health insurance	22%	24%	15%	32%	19%	6%	26%
I could not find a provider that accepted my health insurance (i.e., had to pay out-of-pocket)	19%	18%	17%	13%	22%	9%	23%
Other	8%	6%	11%	2%	18%	5%	5%
None - I did not experience any difficulties when getting that care	19%	13%	31% B	14%	SV 15%	26%	22%

BASE: RECEIVED SUBSTANCE USE CARE IN P12MQ8Over the past 12 months, which of the following difficulties did you face when receiving substance use
care? Please select all that apply.

Unweighted Base Weighted Base	Total A 304 283	Urban B 174	Suburban C	Rural D
	304		С	D
		174		
		174		
		174		
Weighted Base	283		83	47
		168	83*	32**
Experienced Difficulty When Getting Care				
(Net)	81%	84%	81%	67%
Time // costion Deleted (Cub Not)	C10/	C0 0/	FF0/	270/
Time/Location Related (Sub-Net)	61%	68%	55%	37%
Appointment times that were available				
were not convenient for me	34%	42%	25%	18%
		С		
The provider did not have a convenient				
location (e.g., nearby, close to public				
transit)	27%	34%	20%	11%
It took too long to actually see a				
	26%	33%	15%	20%
	2070	<u> </u>	1370	2070
I couldn't find a provider that offered		<u> </u>		
telehealth/online appointments	18%	18%	22%	8%
Provider Related (Sub-Net)	53%	59%	50%	29%
I had to reach out to several providers				
before finding one that was accepting new				
patients	26%	27%	24%	21%
Loculdn't find a provider that was a				
I couldn't find a provider that was a good cultural fit (i.e., the same race,				
ethnicity, sexual orientation,				
socioeconomic status as me)	24%	24%	30%	11%
Provider(s) I reached out to did not get	210/	260/	169/	00/
back to me	21%	26%	16%	8%

			Urbanicity	
	Total	Urban	Suburban	Rural
CONTINUED TABLE	Α	В	С	D
Unweighted Base	304	174	83	47
Weighted Base	283	168	83*	32**
Insurance Related (Sub-Net)	48%	53%	43%	35%
My insurance required me to pay for the care in full and then submit a claim for reimbursement	25%	31%	18%	12%
I struggled to find a provider that accepted my health insurance	22%	20%	26%	22%
I could not find a provider that accepted my health insurance (i.e., had to pay out-of- pocket)	19%	21%	18%	7%
Other	8%	8%	8%	8%
None - I did not experience any difficulties when getting that care	19%	16%	19%	33%

BASE: RECEIVED SUBSTANCE USE CARE IN P12MQ9Which of the following describe how you paid for the substance use care you received in the past 12months? Please select all that apply.

		Ge	nder	Region				
	Total	Male	Female	Northeast	South	Midwest	West	
	А	В	С	S	Т	U	V	
Unweighted Base	304	165	135	66	104	44	90	
Weighted Base	283	168	105*	50*	85*	44**	103*	
My insurance covered in full	48%	47%	51%	52%	42%	65%	43%	
I paid a percentage and the insurance company paid a percentage (i.e., coinsurance)	33%	37%	23%	25%	26%	27%	44%	
	00/0	3770	2070	2370	20/0	2770	ST	
I paid a copay and my insurance covered the rest	32%	36%	26%	26%	34%	16%	39%	
I had to pay the full amount out-of- pocket (i.e., insurance paid nothing or didn't have any insurance)	29%	37%	18%	31%	29%	26%	29%	
Other	5%	C 3%	9%	3%	6%	3%	6%	

BASE: RECEIVED SUBSTANCE USE CARE IN P12MQ9Which of the following describe how you paid for the substance use care you received in the past 12months? Please select all that apply.

			Urbanicity	
	Total	Urban	Suburban	Rural
	A	В	С	D
Unweighted Base	304	174	83	47
Weighted Base	283	168	83*	32**
My insurance covered in full	48%	49%	45%	46%
I paid a percentage and the insurance company paid a percentage (i.e.,				
coinsurance)	33%	38%	28%	15%
I paid a copay and my insurance covered the				
rest	32%	40%	18%	25%
		С		
I had to pay the full amount out-of-pocket (i.e., insurance paid nothing or didn't have				
any insurance)	29%	37%	18%	13%
		С		
Other	5%	2%	8%	10%

BASE: U.S. RESPONDENTS Q10 How much do you agree or disagree with each of the following statements related to mental health and substance use care (i.e., counseling, therapy, providing medication and other support services)?

		Gei	nder	Region			
Summary Of Strongly/Somewhat Agree	Total	Male	Female	Northeast	South	Midwest	West
	Α	В	С	S	Т	U	v
Unweighted Base	2053	880	1143	421	851	396	385
Weighted Base	2053	964	1049	358	779	429	487
If I needed it, I would be more likely to							
get mental health or substance use care							
if I could receive it through my primary							
care doctor.	71%	73%	69%	68%	72%	69%	72%
It is harder to find a mental health care							
provider than it is to find a physical							
health care provider.	67%	65%	68%	66%	65%	65%	72%
There are not enough mental health							
care providers who are trained to							
address issues specific to race, ethnicity,							
sexual orientation, socioeconomic							
status, etc.	61%	61%	61%	57%	59%	57%	71%
							STU
There are not enough mental health							
care providers available that accept							
health insurance as payment.	60%	59%	61%	53%	61%	56%	68%
					S		STU
It is easier to get mental health or							
substance use care if you pay out-of-		C 20/	F 70/	F.00/	F 00/	E 40/	CC04
pocket versus use insurance.	59%	62%	57%	59%	58%	54%	66% TU
It is faster to get mental health or						1	
substance use care if you pay out-of-							
pocket versus use insurance.	59%	62%	56%	60%	59%	51%	64%
		С		U			U

		Ge	nder	Region				
Summary Of Strongly/Somewhat	Total	Male	Female	Northeast	South	Midwest	West	
Disagree	Α	В	С	S	т	U	v	
Unweighted Base	2053	880	1143	421	851	396	385	
Weighted Base	2053	964	1049	358	779	429	487	
It is faster to get mental health or								
substance use care if you pay out-of-	440/	200/	4.40/	400/	440/	400/	2.69/	
pocket versus use insurance.	41%	38%	44%	40%	41%	49%	36%	
			В			SV		
It is easier to get mental health or								
substance use care if you pay out-of-	440/	200/	420/	44.07	420/	4.50/	2.40/	
pocket versus use insurance.	41%	38%	43%	41%	42%	46%	34%	
					V	V		
There are not enough mental health care providers available that accept								
health insurance as payment.	40%	41%	39%	47%	39%	44%	32%	
nearth insurance as payment.	4070	41/0	3370	TV	V	V	5270	
There are not enough mental health				1.0	v	V		
care providers who are trained to								
address issues specific to race,								
ethnicity, sexual orientation,								
socioeconomic status, etc.	39%	39%	39%	43%	41%	43%	29%	
				V	V	V		
It is harder to find a mental health								
care provider than it is to find a								
physical health care provider.	33%	35%	32%	34%	35%	35%	28%	
If I needed it, I would be more likely								
to get mental health or substance use								
care if I could receive it through my								
primary care doctor.	29%	27%	31%	32%	28%	31%	28%	

BASE: U.S. RESPONDENTS Q10 How much do you agree or disagree with each of the following statements related to mental health and substance use care (i.e., counseling, therapy, providing medication and other support services)?

	Urbanicity							
Summary Of Strongly/Somewhat Agree	Total	Urban	Suburban	Rural				
	Α	В	С	D				
Unweighted Base	2053	680	883	490				
Weighted Base	2053	638	982	433				
If I needed it, I would be more likely to get mental health or substance use care if I could receive it through my primary care								
doctor.	71%	71%	68%	74%				
It is harder to find a mental health care provider than it is to find a physical health care provider.	67%	68%	69%	59%				
		D	D					
There are not enough mental health care providers who are trained to address issues specific to race, ethnicity, sexual orientation, socioeconomic status, etc.	61%	63%	61%	58%				
There are not enough mental health care providers available that accept health insurance as payment.	60%	65%	60%	55%				
		D						
It is easier to get mental health or substance use care if you pay out-of-pocket versus use insurance.	59%	67% CD	56%	54%				
It is faster to get mental health or substance use care if you pay out-of-pocket versus use	F.0%/		F.6%	F 20/				
insurance.	59%	67%	56%	52%				
		CD						

		Urbanicity				
Summary Of Strongly/Somewhat Disagree	Total	Urban	Suburban	Rural		
	Α	В	С	D		
Unweighted Base	2053	680	883	490		
Weighted Base	2053	638	982	433		
It is faster to get mental health or substance use care if you pay out-of-pocket versus use						
insurance.	41%	33%	44%	48%		
			В	В		
It is easier to get mental health or substance use care if you pay out-of-pocket versus use insurance.	41%	33%	44%	46%		
	-		В	В		
There are not enough mental health care providers available that accept health insurance as payment.	40%	35%	40%	45%		
				В		
There are not enough mental health care providers who are trained to address issues specific to race, ethnicity, sexual orientation, socioeconomic status, etc.	39%	37%	39%	42%		
It is harder to find a mental health care provider than it is to find a physical health care provider.	33%	32%	31%	41%		
If the end of its to use the many literative set				BC		
If I needed it, I would be more likely to get mental health or substance use care if I could receive it through my primary care doctor.	29%	29%	32%	26%		
receive it through my primary care doctor.	2370	29%	5270	2070		

BASE: U.S. RESPONDENTSQ11Which of the following health conditions have you been diagnosed with by a health care professional?Please select all that apply.

		Ger	nder	Region			
	Total	Male	Female	Northeast	South	Midwest	West
	А	В	С	S	т	U	V
Unweighted Base	2053	880	1143	421	851	396	385
Weighted Base	2053	964	1049	358	779	429	487
High blood pressure or hypertension	31%	33%	28%	31%	32%	31%	27%
The block pressure of hypertension	51/0	C	2070	51/0	J270	51/0	2770
Mental health condition (e.g., anxiety,		č					
depression, bipolar disorder)	26%	20%	30%	25%	24%	29%	28%
			В				
Arthritis	19%	20%	19%	17%	19%	22%	17%
Diabetes (type 1 or type 2)	14%	18%	11%	14%	14%	17%	13%
		С					
COVID-19	14%	13%	15%	12%	15%	15%	12%
Asthma	13%	10%	16%	15%	12%	10%	18%
			В				TU
Heart disease	10%	13%	6%	7%	11%	7%	11%
CODD (chronic chetructive nulmonory		С					
COPD (chronic obstructive pulmonary disease)	7%	8%	6%	5%	7%	7%	9%
	770	070	070	570	770	770	570
Substance use disorder	6%	7%	6%	8%	6%	4%	8%
				U			
Kidney disease	5%	5%	5%	4%	5%	4%	6%
Fertility/infertility issues	5%	5%	4%	5%	4%	3%	7%
Other	13%	11%	13%	14%	14%	12%	9%
		ļ					
None	27%	28%	26%	29%	27%	25%	26%
Decline to answer	3%	2%	4%	2%	4%	3%	3%

BASE: U.S. RESPONDENTSQ11Which of the following health conditions have you been diagnosed with by a health care professional?Please select all that apply.

		Urbanicity					
	Total	Urban	Suburban	Rural			
	А	В	С	D			
	2052	680	002	400			
Unweighted Base	2053	680	883	490			
Weighted Base	2053	638	982	433			
High blood pressure or hypertension	31%	29%	29%	36%			
		2370	2370	BC			
Mental health condition (e.g., anxiety, depression, bipolar				-			
disorder)	26%	27%	25%	25%			
Arthritis	19%	16%	18%	27%			
				BC			
Diabetes (type 1 or type 2)	14%	17%	13%	16%			
COVID-19	14%	14%	14%	12%			
Asthma	13%	17%	12%	11%			
, octinità		CD	12/0	11/0			
Heart disease	10%	12%	8%	9%			
COPD (chronic obstructive pulmonary disease)	7%	13%	5%	5%			
		CD					
Substance use disorder	6%	9%	5%	6%			
		С					
Kidney disease	5%	7%	4%	4%			
		С					
Fertility/infertility issues	5%	7%	4%	3%			
		D					
Other	13%	11%	12%	15%			
None	27%	28%	26%	25%			
Decline to answer	3%	3%	4%	2%			

BASE: U.S. RESPONDENTS (Q2109/244)Q12Which of the following types of medical insurance do you have? Please select all that apply.

		Gei	nder	der Region			
	Total	Male	Female	Northeast	South	Midwest	West
	Α	В	С	S	Т	U	V
Unweighted Base	2053	880	1143	421	851	396	385
Weighted Base	2053	964	1049	358	779	429	487
Have Medical Insurance (Net)	91%	92%	90%	95%	87%	90%	95%
				Т			Т
Medicare/Medicaid (Sub-Net)	48%	48%	50%	54%	47%	50%	46%
Medicare	33%	36%	32%	34%	33%	34%	34%
Medicaid	22%	20%	24%	29%	19%	23%	18%
				TV			
Employer Sponsored (Sub-Net)	40%	43%	37%	39%	35%	34%	52%
							STU
Employer sponsored - through my							
employer	29%	35%	25%	28%	27%	22%	41%
		С					STU
Employer sponsored - as a dependent	1.00/	4.00/	1000	1.201	0 01	100/	
on someone else's plan	12%	10%	13%	13%	9%	13%	14%
COBRA, Fed/State Exchange/ VA (Sub-							
Net)	13%	20%	5%	12%	15%	6%	16%
		С		U	U		U
Veteran's Administration (VA)	7%	11%	2%	5%	8%	3%	9%
		С			U		U
Federal/State exchange (i.e.,	504	0 0/	201	70/	50/		
Affordable Care Act or Obamacare)	6%	9%	3%	7%	6%	4%	8%
CORDA	20/	C	10/	20/	40/	10/	0
COBRA	2%	3% C	1%	3%	1%	1%	3%
Other	7%	5%	8%	8%	7%	8%	5%
N/A - I currently do not have medical							
insurance	9%	8%	10%	5%	13%	10%	5%
					SV		

BASE: U.S. RESPONDENTSQ12Which of the following types of medical insurance do you have? Please select all that apply.

			Urbanicity				
	Total	Urban	Suburban	Rural			
	Α	В	С	D			
	2052	600	002	400			
Unweighted Base	2053	680	883	490			
Weighted Base	2053	638	982	433			
Have Medical Insurance (Net)	91%	91%	92%	90%			
	02/0	02/0	02/0	00/0			
Medicare/Medicaid (Sub-Net)	48%	51%	44%	56%			
		С		С			
Medicare	33%	31%	32%	41%			
				BC			
Medicaid	22%	30%	16%	20%			
		CD					
Employer Sponsored (Sub-Net)	40%	43%	42%	29%			
		D	D				
Employer sponsored - through my employer	29%	36%	28%	21%			
		CD	D				
Employer sponsored - as a dependent on someone else's plan	12%	11%	14%	8%			
			D				
COBRA, Fed/State Exchange/ VA (Sub-Net)	13%	17%	12%	9%			
		CD					
Veteran's Administration (VA)	7%	8%	7%	5%			
Federal/State exchange (i.e., Affordable Care Act or							
Obamacare)	6%	10%	5%	3%			
		CD					
COBRA	2%	3%	2%	0			
		D					
Other	7%	4%	7%	10%			
				В			
N/A - I currently do not have medical insurance	9%	9%	8%	10%			